

(Click on Well Log ID to Access Image of Well Strip Log)

MONTGOMERY

(Records are Sorted by Township, Range, and Section)

LOG ID: 010846

WELL TYPE

Outcrop Description

DRILL DATE:

1949/06/23

TOWNSHIP 0 RANGE SECT

SECTION

ELEVATION:

607FT

County Base Map

DRILL DEPTH:

78FT

0

LG1695

<u>UTM X</u>

<u>UTM Y</u>

DEPTH TO BED:

624,100.36

36 4,304,981.08 ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

BLUFF ON E SD LOUTRE RIVER, 0.25 MI S OF MINEOLA

S.W.L. (AFTER CASING):

LOG ID: 013027

WELL TYPE

Private Well

DRILL DATE:

1954/00/00

TOWNSHIP

<u>RANGE</u>

SECTION

ELEVATION:

565FT

DRILL DEPTH:

125FT

0 0 LG1740

UTM X

UTM Y

DEPTH TO BED:

30FT

623,450.38

4,306,509.08

ZONE 15

S.W.L. (BEFORE CASING):

20

FT

REMARKS: 1 MI N OF MINEOLA

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

024564

WATER TEST WELL (HOLE)

DRILL DATE:

1966/11/07

TOWNSHIP

RANGE SECTION

ELEVATION:

505FT

DRILL DEPTH:

57FT

45N

5W 6

UTM Y

DEPTH TO BED:

<u>UTM X</u> 628,720.25 4.

0.25 4,283,935.98

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING): FT

REMARKS: RIVER PROFILE STUDY

LOG ID:

WELL TYPE

024535

WATER TEST WELL (HOLE)

16

DRILL DATE:

1966/11/07

TOWNSHIP

RANGE SECTION

ELEVATION:

625,157.21

512FT

4,283,584.94

DRILL DEPTH:

37FT

45N 6W 2

UTM X UTM Y

ZONE 15

DEPTH TO BED:

S.W.L. (BEFORE CASING):

FT

REMARKS: RIVER PROFILE STUDY

S.W.L. (AFTER CASING):

20



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 025416

WELL TYPE

Noncommunity Public Well

1967/05/01 DRILL DATE:

TOWNSHIP RANGE SECTION 46N 5W 14

ELEVATION: 560FT

DRILL DEPTH: 85FT

UTM X

634,279.28 4,290,095.06

ZONE 15

DEPTH TO BED:

S.W.L. (BEFORE CASING): FT

9

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 009975

WELL TYPE Private Well

DRILL DATE:

1947/04/18

TOWNSHIP

RANGE

SECTION ELEVATION: 609FT

UTMY

DRILL DEPTH:

445FT

46N 5W 15

UTM X

UTMY

DEPTH TO BED:

4,290,416.06

633,207.26 ZONE 15

S.W.L. (BEFORE CASING):

FT

2 MI NW OF McKITTRICK ON HWY 19 REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 024499

WELL TYPE

WATER TEST WELL (HOLE)

90

DRILL DATE:

1966/07/01

TOWNSHIP

RANGE SECTION **ELEVATION:**

505FT

DRILL DEPTH:

97FT

46N **5W** 23

UTM X

UTMY

DEPTH TO BED:

635,150.31 4,287,792.06

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

MISSOURI RIVER PROFILE STUDY

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

028970

Noncommunity Public Well

DRILL DATE:

2003/09/

TOWNSHIP 46N

RANGE 5W

SECTION 23

ELEVATION:

ZONE 15

UTM X

634.950.31

510FT

DRILL DEPTH:

326FT

UTM Y 4,287,792.06

DEPTH TO BED:

REMARKS:

PDWP #6182039 is questionable and possible in error - didn't come up

when entered in SWIP

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

2/27/2007

3,750



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 024522

WELL TYPE

WATER TEST WELL (HOLE)

21

DRILL DATE: 1966/07/11 **TOWNSHIP RANGE SECTION** 46N 5W

ELEVATION:

510FT

DRILL DEPTH: 110FT

UTMY

DEPTH TO BED:

26

635,351.33 4,286,195.05

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: MISSOURI RIVER PROFILE STUDY

S.W.L. (AFTER CASING):

LOG ID: 005456

WELL TYPE Private Well

DRILL DATE:

1939/00/00

TOWNSHIP

SECTION RANGE

ELEVATION:

UTM X

578FT

DRILL DEPTH:

135FT

46N 5W 3

UTM X

UTMY

DEPTH TO BED:

633,901.33

4,294,269.08

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: NEAR BIG SPRING - "NOT MUCH WATER"

5W

S.W.L. (AFTER CASING): 35

LOG ID: 006923

WELL TYPE

Noncommunity Public Well

DRILL DATE:

1941/06/01

TOWNSHIP RANGE **SECTION**

ELEVATION:

628,268.22

562FT

DRILL DEPTH:

150FT

46N

30

UTM X

UTMY 4,286,695.99

DEPTH TO BED:

10FT

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

12

FT

REMARKS: @ RHINELAND

LOG ID:

WELL TYPE

024550

WATER TEST WELL (HOLE)

DRILL DATE:

1966/07/11

TOWNSHIP 46N

RANGE

SECTION

ELEVATION:

506FT

DRILL DEPTH:

82FT

5W 30

> UTM X 628.968.23

UTM Y 4,286,369.99

DEPTH TO BED:

S.W.L. (BEFORE CASING):

FT

ZONE 15

S.W.L. (AFTER CASING):

15

REMARKS: MISSOURI RIVER PROFILE STUDY



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 008607

DRILL DEPTH:

WELL TYPE

Industrial High Capacity Well

1944/09/09 DRILL DATE:

765FT

46N

TOWNSHIP

SECTION 34

ELEVATION:

DEPTH TO BED: 35FT

UTMY 4,285,530.02

UTM X 632,714.29

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: Driller's Log Attached

S.W.L. (AFTER CASING):

275

LOG ID: 016322

WELL TYPE Private Well

DRILL DATE:

1957/05/17

TOWNSHIP

RANGE

RANGE

5W

SECTION 8

ELEVATION:

585FT

DRILL DEPTH:

190FT

65

46N 5W

UTM X

UTMY

DEPTH TO BED: 130FT 630,414.23

4,291,311.03

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: OLD WELL TO 130', DEEPENED TO 190'

S.W.L. (AFTER CASING):

LOG ID: 018088

WELL TYPE

Private Well

DRILL DATE:

1959/03/20

TOWNSHIP 46N

RANGE

SECTION

ELEVATION:

535FT

DRILL DEPTH:

150FT

5W 8

UTM X

UTMY

DEPTH TO BED:

100FT

629,393.23 4,291,861.03

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 4.5 MI N OF RHINELAND; YIELD 15 GPM @ 70'

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

024613

Industrial High Capacity Well

10

DRILL DATE:

1966/07/02

TOWNSHIP 46N

RANGE

SECTION

ELEVATION:

UTM X

527FT

DRILL DEPTH:

DEPTH TO BED:

155FT

45FT

5W 9

UTM Y

632.463.28

4,292,600.06

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

formerly in name of Andrew Kleindienst

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 025285

DRILL DEPTH:

WELL TYPE Private Well

1967/03/22 DRILL DATE:

405FT

DEPTH TO BED:

55FT

TOWNSHIP 46N

RANGE 6W

SECTION 14

ELEVATION:

884FT

UTM X **UTMY** 4,290,015.00

625,301.15

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

3.25 MI N OF RHINELAND ON HWY P

LOG ID: 010782

WELL TYPE

Outcrop Description

DRILL DATE:

1949/02/20

TOWNSHIP

SECTION RANGE

ELEVATION:

760FT

DRILL DEPTH: DEPTH TO BED: 95FT

46N 6W 3

UTM X

UTMY

624,218.18

4,293,354.02

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

ALONG RD JUST W OF AMERICUS

LOG ID: 019479

WELL TYPE

Private Well

DRILL DATE:

1960/08/18

TOWNSHIP 46N

RANGE

SECTION

ELEVATION:

876FT

DRILL DEPTH:

550FT

6W 8

> UTM X 619,531.09

UTMY 4,290,977.99

DEPTH TO BED:

65FT

280

FT

FT

REMARKS: 5 MI N OF BLUFFTON

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Private Well 007766

DRILL DATE:

1942/00/00

TOWNSHIP

RANGE

SECTION

ELEVATION:

898FT

DRILL DEPTH:

DEPTH TO BED:

165FT

105FT

47N

3W 7

UTM X

UTM Y

647.669.60

4,301,720.25

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

80

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 007767

WELL TYPE Private Well

1942/00/00 DRILL DATE:

TOWNSHIP 47N

SECTION RANGE

ELEVATION:

898FT

DRILL DEPTH:

105FT

3W

DEPTH TO BED: 30FT UTM X

UTMY 4,301,720.25

647,469.60 ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

67

LOG ID: 028027

WELL TYPE Irrigation Well

DRILL DATE:

1975/09/25

TOWNSHIP 47N

SECTION RANGE 7

ELEVATION:

900FT

DRILL DEPTH:

1,400FT

3W

UTM X

UTMY

DEPTH TO BED:

100FT

4,302,322.26

648,669.62 ZONE 15

S.W.L. (BEFORE CASING):

EXTREMELY POOR SAMPLES REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 028119

WELL TYPE

Community Public Well

DRILL DATE:

TOWNSHIP RANGE 47N

SECTION

ELEVATION:

900FT

DRILL DEPTH:

1.110FT

3W 7

UTM X

UTMY 4,301,527.25

DEPTH TO BED:

100FT

648,040.61

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: SAMPLES FROM 350-1110' LOST BY DRILLER

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

028136

Private Well

DRILL DATE:

TOWNSHIP RANGE 47N 3W

SECTION

ELEVATION:

UTM X

648.169.61

902FT

DRILL DEPTH:

DEPTH TO BED:

1,080FT

UTM Y 4,301,619.25

REMARKS:

ZONE 15 NO SAMPLES LOGGED, A FEW TOPS ONLY - TD UNKNOWN

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 020858

WELL TYPE Private Well

SECTION DRILL DATE: **TOWNSHIP RANGE ELEVATION:** 889FT

> 47N 4W

DRILL DEPTH: UTM X **UTMY** DEPTH TO BED: 125FT

646,718.60 4,302,654.24

ZONE 15

S.W.L. (BEFORE CASING): **REMARKS:**

400FT

S.W.L. (AFTER CASING):

LOG ID: 026968

WELL TYPE Private Well

DRILL DATE: 1969/07/17 **TOWNSHIP SECTION RANGE ELEVATION:** 904FT

4W 47N 11 DRILL DEPTH: 465FT

UTM X UTMY DEPTH TO BED: 645,535.58 4,302,002.23 145FT

ZONE 15

S.W.L. (BEFORE CASING): I-70 TO JONESBURG REMARKS:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Community Public Well 007776

DRILL DATE: 1942/03/21 **TOWNSHIP RANGE SECTION ELEVATION:** 902FT

47N 4W 12 **DRILL DEPTH:** 380FT

UTM X **UTMY**

DEPTH TO BED: 65FT 646,804.59 4,301,876.24 ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:** COMMUNITY CENTER - PLUGGED 7/8/1958 - 70 SX CEMENT;

230 SAMPLES ARE MIXED S.W.L. (AFTER CASING):

LOG ID: 009467

WELL TYPE Private Well

1946/00/00 **TOWNSHIP DRILL DATE: RANGE SECTION ELEVATION:** 897FT

DRILL DEPTH: 440FT UTM X UTM Y

4W

12

DEPTH TO BED: 130FT 646,404.59 4,301,664.24

ZONE 15 S.W.L. (BEFORE CASING):

47N

0.5 MIS OF WABASH RR **REMARKS**: S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 016709

WELL TYPE

Community Public Well

DRILL DATE:

1957/09/01

TOWNSHIP 47N

RANGE SECTION 12

ELEVATION:

898FT

DRILL DEPTH:

1,050FT

4W

UTM X

UTMY 647,064.60 4,301,878.24

ZONE 15

DEPTH TO BED:

125FT

FT

REMARKS:

REMARKS:

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

370 FT

60

LOG ID:

WELL TYPE

026496

Private Well

DRILL DATE:

TOWNSHIP

SECTION RANGE 5

ELEVATION:

842FT

DRILL DEPTH:

365FT

4W 47N

UTM X

UTMY

DEPTH TO BED: 125FT 639,641.51

4,302,709.18

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 012264

WELL TYPE Private Well

DRILL DATE:

1952/12/12

TOWNSHIP RANGE **ELEVATION:**

873FT

DRILL DEPTH:

450FT

47N **5W**

UTM X

635,103.43

UTMY 4,301,367.13

DEPTH TO BED:

65FT

262

REMARKS:

3 MI S OF JCT HWYS 19 & 40

ZONE 15

LOG ID:

019300

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

WELL TYPE Private Well

DRILL DATE:

1960/03/21

TOWNSHIP 47N

RANGE 5W

SECTION

SECTION

11

ELEVATION:

567FT

DRILL DEPTH:

DEPTH TO BED:

136FT 30FT 19

UTM X UTM Y 4,297,836.06

628.499.30

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

3 MI N OF BIG SPRINGS; YIELD - 15 GPM @ 50' **REMARKS**:

S.W.L. (AFTER CASING):

40



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 019629

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1960/12/10 DRILL DATE:

151FT

40FT

28

47N

RANGE 5W

SECTION 20

ELEVATION:

563FT

UTM X 629,511.33

UTMY 4,298,819.07

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

TOWNSHIP

ABT 3 MI NW OF BIG SPRINGS; YIELD - 15 GPM @ 45'

S.W.L. (AFTER CASING):

LOG ID: 010358

WELL TYPE

Outcrop Description

DRILL DATE:

DRILL DEPTH:

1948/08/01

TOWNSHIP

RANGE

SECTION 21

ELEVATION:

710FT

56FT

5W

UTM X

UTMY

DEPTH TO BED:

47N

4,297,743.09

632,466.35 ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: STOP 22, KGS 15TH ANN FIELD CONF., 1941

S.W.L. (AFTER CASING):

LOG ID: 010850

WELL TYPE

Outcrop Description

DRILL DATE:

1949/06/23

TOWNSHIP 47N

RANGE

SECTION

ELEVATION:

745FT

DRILL DEPTH:

15FT

5W 22

UTM X

UTMY 4,298,031.10

DEPTH TO BED:

633,579.37 ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: RD CUT S SD HWY 19, UP HILL N OF BIG SPRING

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Private Well 026692

DRILL DATE:

1968/09/09

TOWNSHIP 47N

RANGE

SECTION

ELEVATION:

857FT

DRILL DEPTH:

DEPTH TO BED:

405FT 65FT

220

5W 23

UTM X

UTM Y

635,510.41 4,299,144.12 ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: S OF NEW FLORENCE

S.W.L. (AFTER CASING):



RANGE

SECTION

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 010338

DRILL DEPTH:

WELL TYPE Outcrop Description

1948/09/01 DRILL DATE:

42FT

TOWNSHIP 47N 5W 28

UTM X **UTMY** DEPTH TO BED: 632,079.34 4,297,537.08

ZONE 15

577FT

ELEVATION:

S.W.L. (BEFORE CASING): 200 YDS W OF STOP 22, KGS 1941 15TH ANN. FIELD CONF. **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 018370

WELL TYPE Private Well

TOWNSHIP SECTION DRILL DATE: 1959/06/10 **RANGE ELEVATION:** 548FT

5W 28 47N DRILL DEPTH: 131FT

UTM X UTMY DEPTH TO BED: 4,296,093.08

631,979.32 50FT ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS**: IN BIG SPRINGS, 7 MI N OF HERMAN ON HWY 19

S.W.L. (AFTER CASING): 20

LOG ID: 019742

WELL TYPE Private Well

SECTION DRILL DATE: 1961/01/01 **TOWNSHIP RANGE ELEVATION:** 580FT

47N **5W** 28 **DRILL DEPTH:** 229FT

UTM X **UTMY**

DEPTH TO BED: 130FT 631,979.33 4,297,022.08 ZONE 15

S.W.L. (BEFORE CASING): **REMARKS:** ABT 1/8 MI N OF BIG SPRINGS ON HWY 19

S.W.L. (AFTER CASING):

LOG ID:

DRILL DEPTH:

WELL TYPE

WATER TEST WELL (HOLE) 019419

84FT

TOWNSHIP SECTION DRILL DATE: RANGE ELEVATION: 830FT

UTM X UTM Y DEPTH TO BED: 27FT 633.952.44 4,302,717.13

5W

3

ZONE 15

47N

S.W.L. (BEFORE CASING):

CORE HOLE #1 FLOYD DECKER **REMARKS**: S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 014176

WELL TYPE

Noncommunity Public Well

1955/10/01 **TOWNSHIP** DRILL DATE: **RANGE SECTION ELEVATION:** 539FT

47N 5W 32 **DRILL DEPTH:** 180FT

UTM X **UTMY** DEPTH TO BED: 20FT 630,039.29 4,295,940.06

ZONE 15

S.W.L. (BEFORE CASING): FT 1 MI W OF HWY 19 ON HWY K, NEAR BIG SPRINGS **REMARKS**:

S.W.L. (AFTER CASING): 14

LOG ID: 010711

WELL TYPE

Private Well

TOWNSHIP DRILL DATE: 1949/02/24 **RANGE SECTION ELEVATION:** 868FT

5W 8 47N DRILL DEPTH: 335FT

UTM X UTMY DEPTH TO BED: 50FT 630,622.38 4,301,679.09

ZONE 15 FT

S.W.L. (BEFORE CASING): **REMARKS:**

S.W.L. (AFTER CASING): 220

LOG ID: 011377

WELL TYPE

Private Well

DRILL DATE: 1950/06/01 **TOWNSHIP RANGE SECTION ELEVATION:** 590FT

> 47N 6W 15 110FT

DRILL DEPTH: UTM X **UTMY DEPTH TO BED:** 623,560.29 4,300,368.05

ZONE 15 FT

S.W.L. (BEFORE CASING): **REMARKS:**

86 S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Private Well 020166

TOWNSHIP RANGE SECTION DRILL DATE: ELEVATION: 691FT

DRILL DEPTH: 185FT UTM X UTM Y

6W

32

DEPTH TO BED: 620.964.18 4,295,631.02 35FT

ZONE 15

47N

S.W.L. (BEFORE CASING): FT **REMARKS**: 6 MI SW OF BIG SPRING

S.W.L. (AFTER CASING): 60



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 021195

DEPTH TO BED:

WELL TYPE Private Well

DRILL DATE: **TOWNSHIP**

47N

SECTION

ELEVATION:

650FT

UTMY

592FT

DRILL DEPTH: 200FT 6W

RANGE

UTM X

617,950.24

4,301,216.03

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: @ MINEOLA

S.W.L. (AFTER CASING):

LOG ID: 023660

WELL TYPE Private Well

DRILL DATE:

DEPTH TO BED:

TOWNSHIP SECTION RANGE

ELEVATION:

DRILL DEPTH: 165FT 47N

REMARKS:

6W 9

UTM X **UTMY**

20FT

622,207.28

4,300,943.05

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: 3 MI S OF MINEOLA

S.W.L. (AFTER CASING):

LOG ID: 023971

WELL TYPE Private Well

DRILL DATE:

TOWNSHIP RANGE 48N 3W

ELEVATION:

838FT

DRILL DEPTH:

325FT

17

UTM X

UTMY

DEPTH TO BED:

65FT

SECTION

649,711.70 4,309,270.30

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 005040

WELL TYPE Private Well

1938/00/00

TOWNSHIP

SECTION RANGE

ELEVATION:

776FT

DRILL DATE: DRILL DEPTH:

150FT

48N

3W 20

UTM X

UTM Y

DEPTH TO BED:

80FT

649,719.70

4,309,132.30

ZONE 15

S.W.L. (BEFORE CASING):

N OF JONESBURG **REMARKS**:

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 024099

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:**

> 48N 3W 20

UTM X **UTMY**

648,919.68 4,308,494.29

ZONE 15

S.W.L. (BEFORE CASING): **REMARKS:**

385FT

65FT

40FT

336FT

150

S.W.L. (AFTER CASING):

LOG ID: 026420

DEPTH TO BED:

WELL TYPE Private Well

DRILL DATE: 1967/10/20 **TOWNSHIP SECTION RANGE** 48N 3W 20

ELEVATION:

800FT

790FT

766FT

812FT

DRILL DEPTH: 350FT

UTM X **UTMY**

4,307,854.30 650,119.69

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

REMARKS: **NEAR JONESBURG**

S.W.L. (AFTER CASING): 140

LOG ID: 008985

DEPTH TO BED:

S.W.L. (AFTER CASING):

WELL TYPE Private Well

DRILL DATE: 1945/06/12

SECTION TOWNSHIP RANGE 48N 3W 29

ELEVATION:

ELEVATION:

DRILL DEPTH: 535FT

UTM X **UTMY**

648,921.67 4,306,867.28

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

6 MI S OF HAQWKPOINT, 4 MI W ON HWY 47; OLD WELL

DEEPENED 366-535'

LOG ID: 026715

WELL TYPE Private Well

DRILL DATE:

1968/10/12 **SECTION TOWNSHIP RANGE**

DRILL DEPTH: 270FT 48N 3W 5

> UTM X UTM Y

DEPTH TO BED: 110FT 649.112.74

4,314,096.31

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

NEAR JONESBURG REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 017215

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1958/02/01 DRILL DATE:

85

385FT

25FT

FT

TOWNSHIP RANGE SECTION 48N 3W

6

ELEVATION:

728FT

UTM X 647,349.70

UTMY 4,312,621.29

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

6 MI N, 0.75 MI E OF JONESBURG **REMARKS**:

LOG ID: 026518

WELL TYPE Private Well

DRILL DATE:

1967/08/23

TOWNSHIP

RANGE

ELEVATION:

780FT

DRILL DEPTH:

420FT

48N 3W 8

UTM X

UTMY

DEPTH TO BED:

48FT

649,312.72 4,312,176.31 ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

80

FT

FT

REMARKS: 4 MI NE OF HWY C ON HWY FF

LOG ID: 026927

WELL TYPE Private Well

DRILL DATE:

1968/08/01

TOWNSHIP 48N

RANGE

SECTION

SECTION

ELEVATION:

776FT

DRILL DEPTH:

355FT

4W 13

UTM X 646,202.67

UTM Y 4,310,344.27

DEPTH TO BED:

80FT

100

REMARKS:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 025250

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

1967/04/24

175FT

85FT

TOWNSHIP 48N

RANGE

SECTION

ELEVATION:

810FT

4W 14

> UTM X 645.147.66

UTM Y 4,310,093.26

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 5 MI NW OF JONESBURG

S.W.L. (AFTER CASING):

60



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 012721

WELL TYPE Irrigation Well

1954/04/01 DRILL DATE:

FT

FT

RANGE SECTION 4W 16

ELEVATION:

UTM X

641,085.61

ZONE 15

850FT

DRILL DEPTH: 1,064FT

S.W.L. (BEFORE CASING):

UTMY 4,310,031.23

DEPTH TO BED: 150FT

REMARKS: ROYAL FARMS - 4 MI N OF HIGH HILL

S.W.L. (AFTER CASING): 100

LOG ID:

WELL TYPE Private Well

DRILL DATE:

016228

1957/02/02

TOWNSHIP 48N

TOWNSHIP

48N

SECTION RANGE

ELEVATION:

640,885.60

846FT

DRILL DEPTH:

335FT

4W 16

UTM X

ZONE 15

UTMY 4,309,207.22

DEPTH TO BED: 125FT

125

REMARKS: POOR SAMPLES

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 023451

WELL TYPE

Community Public Well

DRILL DATE:

1965/01/01

TOWNSHIP

RANGE SECTION **ELEVATION:**

836FT

DRILL DEPTH:

1,445FT

48N

4W 16

UTM X

UTM Y

DEPTH TO BED:

170FT

641,386.61 4,309,938.23

ZONE 15

S.W.L. (BEFORE CASING):

220 FT

FT

REMARKS:

formerly in name of Roy L. Longstreet "Dude" Ranch, High Hill

S.W.L. (AFTER CASING): 275

LOG ID:

WELL TYPE

Private Well 025282

1967/04/11

TOWNSHIP

48N

RANGE

SECTION

ELEVATION:

823FT

DRILL DATE: DRILL DEPTH:

145FT

4W 17

> UTM X 639,276.58

> > ZONE 15

UTM Y 4,309,389.21

DEPTH TO BED:

FT

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

30

REMARKS: NEAR NEW FLORENCE



RANGE

4W

SECTION

18

SECTION

18

SECTION

19

(Click on Well Log ID to Access Image of Well Strip Log)

ELEVATION:

UTM X

638,244.58

ELEVATION:

UTM X

638,344.58

ELEVATION:

UTM X

638,639.55

ZONE 15

ZONE 15

ZONE 15

862FT

UTMY

4,310,011.20

853FT

UTMY

4,309,905.20

862FT

UTM Y

4,307,516.20

LOG ID: 025281

WELL TYPE Private Well

1967/04/15 DRILL DATE:

480FT

DRILL DEPTH:

DEPTH TO BED: 140FT

S.W.L. (BEFORE CASING):

POOR SAMPLES **REMARKS**:

TOWNSHIP

48N

TOWNSHIP

48N

TOWNSHIP

48N

S.W.L. (AFTER CASING):

LOG ID: 025660

WELL TYPE Private Well

DRILL DATE: DRILL DEPTH: 1967/04/21

405FT

DEPTH TO BED: 155FT

S.W.L. (BEFORE CASING):

FT

FT

FT

REMARKS:

NO SAMPLES LOGGED - TOPS ONLY

RANGE

4W

RANGE

4W

S.W.L. (AFTER CASING): 200

LOG ID: 023386

WELL TYPE Private Well

DRILL DATE: 1965/03/01

DRILL DEPTH: 482FT

DEPTH TO BED: 135FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

023023

DRILL DATE: DRILL DEPTH:

1,085FT

DEPTH TO BED: 105FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

Community Public Well

280

305

TOWNSHIP 48N

RANGE

4W

2 MI N OF HIGH HILL

SECTION 32

ELEVATION:

885FT

UTM X UTM Y 640,420.54 4,304,559.20

ZONE 15

REMARKS:

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 019102

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

<u>DRILL DATE:</u> <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u>

48N 4W

<u>UTM X</u> <u>UTM Y</u>

6

9

637,955.60 4,312,560.21

840FT

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING): REMARKS:

440FT

110FT

S.W.L. (AFTER CASING):

LOG ID: WE 011378 Priv

WELL TYPE Private Well

<u>DRILL DATE:</u> 1950/04/01 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 813FT

DRILL DEPTH: 400FT 48N 4W

<u>UTM X</u> <u>UTM Y</u> <u>DEPTH TO BED:</u> 115FT 640,888.63 4,311,664.23

S.W.L. (BEFORE CASING): FT PEMARKO

REMARKS:

S.W.L. (AFTER CASING): 280

LOG ID: 027604

WELL TYPE Private Well

<u>DRILL DATE:</u> 1970/07/08 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 847FT

DRILL DEPTH: 405FT 48N 5W 21

<u>DTM X UTM Y</u>

<u>DEPTH TO BED:</u> 140FT 632,460.49 4,308,183.15

S.W.L. (BEFORE CASING): FT REMARKS:

S.W.L. (AFTER CASING): 260

1,025FT

S.W.L. (AFTER CASING): 20

LOG ID: WELL TYPE

DRILL DEPTH:

028208 Community Public Well

<u>DRILL DATE:</u> <u>TOWNSHIP</u> <u>RANGE</u> <u>SECTION</u> <u>ELEVATION:</u> 865FT

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 70FT 634,098.51 4,308,556.16

5W

22

S.W.L. (BEFORE CASING): FT PERMISSION NO CAMPUTE A CORET DOOR LOCALITY

48N

S.W.L. (AFTER CASING): REMARKS: NO SAMPLES LOGGED - POOR LOG

2/27/2007



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 014315

WELL TYPE

Community Public Well

1955/12/22 DRILL DATE:

DRILL DEPTH: 325FT

DEPTH TO BED:

140FT

TOWNSHIP RANGE SECTION 48N 5W

23

ELEVATION:

877FT

UTM X 634,552.51

UTMY 4,307,683.16

ZONE 15

LOST HOLE, ABANDONED AT 325'; 20' FROM HOLE #1A

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Community Public Well

DRILL DATE:

014429

1956/04/01

TOWNSHIP

TOWNSHIP

RANGE

SECTION

ELEVATION:

877FT

DRILL DEPTH: DEPTH TO BED: 1,030FT 135FT 48N

5W 23

UTM X

UTMY 4,307,683.16

634,552.51 ZONE 15

S.W.L. (BEFORE CASING):

322

FT

REMARKS:

REMARKS:

OBSERVATION WELL AS OF 5/1981

S.W.L. (AFTER CASING):

WELL TYPE

LOG ID: 028211

Community Public Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

1979/01/24

1,050FT

80FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

48N

RANGE 5W

SECTION 23

ELEVATION:

885FT

UTM X

UTM Y 4,307,683.16

634,852.51 ZONE 15

317

REMARKS:

LOG ID:

WELL TYPE

028687

Community Public Well

DRILL DATE:

1986/12/08

TOWNSHIP

RANGE

SECTION

ELEVATION:

876FT

DRILL DEPTH:

DEPTH TO BED:

1,400FT

70FT

48N

5W 23

> UTM X 634,647.51

UTM Y 4,307,462.16

ZONE 15

S.W.L. (BEFORE CASING): 300

S.W.L. (AFTER CASING):

REMARKS:

FΤ



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 002145

WELL TYPE

Industrial High Capacity Well

1918/00/00 DRILL DATE:

TOWNSHIP RANGE SECTION 48N 5W 26

ELEVATION:

844FT

DRILL DEPTH: 622FT

UTM X

UTMY

DEPTH TO BED: 120FT 634,440.50

4,307,210.16

ZONE 15

S.W.L. (BEFORE CASING):

1 MI SE OF NEW FLORENCE **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 002691

WELL TYPE

Noncommunity Public Well

DRILL DATE:

1932/12/01

TOWNSHIP

RANGE

SECTION

29

ELEVATION:

873FT

DRILL DEPTH:

450FT

48N 5W 26

UTM X

DEPTH TO BED:

90FT

UTMY 635,440.50 4,305,940.16

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #1 I.C. BOONE, INTERNATIONAL LOADING FIELD

S.W.L. (AFTER CASING):

LOG ID: 025223

WELL TYPE

Private Well

DRILL DATE:

1967/01/24

TOWNSHIP

RANGE

ELEVATION:

825FT

DRILL DEPTH:

345FT

48N

SECTION 5W

UTM X

DEPTH TO BED:

140FT

630,200.44

ZONE 15

UTM Y 4,306,193.12

240

FT

REMARKS: NEAR NEW FLORENCE

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

021952

DEPTH TO BED:

Private Well

DRILL DATE:

TOWNSHIP

48N

SECTION RANGE

ELEVATION:

837FT

DRILL DEPTH:

350FT

5W 30

UTM X

UTM Y

628.857.44

4,307,398.11

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

60FT

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 015247

WELL TYPE Private Well

DRILL DATE: 1956/06/28

TOWNSHIP 48N RANGE SECTION

ELEVATION:

894FT

DRILL DEPTH:

435FT

5W 36

UTM X

637,369.51

<u>UTM Y</u> 4,305,454.17

DEPTH TO BED:

185FT

ZONE 15

JNE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

<u>):</u> 300

LOG ID: 019412

WELL TYPE

Noncommunity Public Well

DRILL DATE:

1960/09/01

TOWNSHIP

RANGE SECTION

ELEVATION:

850FT

DRILL DEPTH:

1,100FT

48N 5W

<u>UTM X</u> 631,648.54 <u>UTM Y</u> 4,312,490.16

DEPTH TO BED:

80FT

ZONE 15

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

265 FT

100

FT <u>REMARKS:</u>

FT

1.5 MI SE OF MONTGOMERY CITY ON NE SD HWY 19

4

SECTION

5

LOG ID:

028718

WELL TYPE

Community Public Well

DRILL DATE:

1992/06/24

TOWNSHIP

<u>RANGE</u>

ELEVATION:

837FT

DRILL DEPTH:

1,275FT

48N 5W

<u>UTM X</u> 630,627.54

<u>UTM Y</u> 4,313,417.16

DEPTH TO BED:

100FT

286

REMARKS:

ZONE 15

Montgomery City Well #5 (known locally as), but actually is Well #3

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

010849

Outcrop Description

DRILL DATE:

1949/06/23

<u>TOWNSHIP</u>

RANGE

SECTION

13

ELEVATION:

700FT

DRILL DEPTH:

39FT

48N 6W

UTM X

UTM Y

DEPTH TO BED:

627,592.48

4,310,757.13

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

ABD QUARRY ALONG CLIFF ON N SD SMITH BRANCH ON HWY 29

& W; KGS STP 20



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 024329

WELL TYPE

Noncommunity Public Well

DRILL DATE: 1966/07/01

TOWNSHIP 48N RANGE SECTION

ELEVATION:

756FT

UTMY

4,307,779.09

DRILL DEPTH:

470FT

6W 22

UTM X

622,952.40

ZONE 15

DEPTH TO BED:

168

REMARKS: Missouri State Park Board

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

177 FT

FT

LOG ID: 012612

WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1954/01/18

TOWNSHIP

RANGE SECTION

ELEVATION:

790FT

DRILL DEPTH:

85FT

48N

6W 25

UTM X

UTM Y

DEPTH TO BED:

6

4,307,102.11

627,533.43 4 ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: 1 MI S OF DANVILLE

S.W.L. (AFTER CASING):

LOG ID: 024134

WELL TYPE

Noncommunity Public Well

DRILL DATE:

1966/05/05

TOWNSHIP

<u>RANGE</u>

S<u>ECTION</u>

ELEVATION:

803FT

DRILL DEPTH:

.000,00,00

48N

6W

26

UTM Y

600FT 15FT

<u>UTM X</u> 624,876.40

ZONE 15

4,307,036.09

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

54

FT

REMARKS:

formerly in name of Missouri Highway Dept - REST AREA I-70.

WEST-BOUND LANE #2 (SEE ALSO #24133)

LOG ID:

WELL TYPE

023558

Noncommunity Public Well

DRILL DATE:

1965/00/00

TOWNSHIP 48N RANGE

SECTION

ELEVATION:

745FT

DRILL DEPTH:

450FT

4FT

6W 27

UTM X

UTM Y

623,346.40 4,307,490.09

ZONE 15

S.W.L. (BEFORE CASING):

DEPTH TO BED:

FT

REMARKS:

S.W.L. (AFTER CASING):

195



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 013028

WELL TYPE Private Well

1954/00/00 DRILL DATE:

RANGE SECTION **ELEVATION:**

625FT

DRILL DEPTH:

205FT

6W 28

UTMY

DEPTH TO BED:

55FT

UTM X 621,807.37

4,306,507.07

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

1 MI W, 1 MI N OF MINEOLA **REMARKS**:

S.W.L. (AFTER CASING):

40

LOG ID:

WELL TYPE

024133

Noncommunity Public Well

DRILL DATE:

1966/04/29

TOWNSHIP

TOWNSHIP

48N

SECTION RANGE

ELEVATION:

621FT

DRILL DEPTH:

600FT

48N

6W 28

UTM X 621,503.36

UTMY 4,306,243.07

DEPTH TO BED: S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

85FT

243

REMARKS:

formerly in name of Missouri State Highway Dept - I-70 REST AREA,

WEST BOUND LANE, #1 - (SEE #24134)

LOG ID: 010477

WELL TYPE

Outcrop Description

DRILL DATE:

1948/11/17

TOWNSHIP 48N

RANGE

ELEVATION:

740FT

DRILL DEPTH:

17FT

6W 32

UTM X UTM Y

DEPTH TO BED:

620,693.35

4,305,872.06 ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

S SD HWY 40 IN SMALL RAVINE, 100 YDS NW OF STP 18, KGS

SECTION

1841.

LOG ID: 010747

WELL TYPE

Private Well

1949/03/21

TOWNSHIP

RANGE

SECTION

ELEVATION:

796FT

DRILL DATE: DRILL DEPTH:

325FT

48N

6W

32

UTM X

619.993.34

ZONE 15

UTM Y 4,305,872.06

DEPTH TO BED:

10FT

2 MI W OF MINEOLA ON HWY 40 **REMARKS:**

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

205

FT



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 025184

DRILL DEPTH:

WELL TYPE Private Well

1967/09/01 DRILL DATE:

145FT

DEPTH TO BED: 30FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

TOWNSHIP RANGE 48N

NEAR MINEOLA

6W 34

SECTION

ELEVATION:

562FT

UTM X

UTMY 4,305,195.08

624,500.37

ZONE 15

LOG ID: 025068

WELL TYPE Private Well

DRILL DATE:

DEPTH TO BED:

1967/06/09

TOWNSHIP 48N

TOWNSHIP

48N

REMARKS:

REMARKS:

REMARKS:

SECTION RANGE

ELEVATION:

563FT

DRILL DEPTH: 325FT

45FT

6W 35

UTM X

UTMY 4,305,249.08

733FT

UTM Y

4,312,601.09

624,600.37

ELEVATION:

UTM X

618,714.45

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 024688

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

1966/07/06

265FT

DEPTH TO BED:

85FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 010993

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

1947/03/00

134FT

40FT

50

TOWNSHIP 49N

RANGE 3W

RANGE

6W

SECTION 32

SECTION

6

ELEVATION:

760FT

UTM X 649,903.75

UTM Y 4,315,188.32

3,771

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

formerly in name of E.F. Sims

2/27/2007



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 015243

WELL TYPE Private Well

1956/05/00 DRILL DATE:

49N

SECTION RANGE

ELEVATION:

707FT

DRILL DEPTH:

230FT

4W 1

UTMY

DEPTH TO BED:

20FT

100

UTM X 646,712.85

4,323,355.43 ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

REMARKS:

LOG ID:

021361

WELL TYPE Private Well

DRILL DATE:

1962/00/00

TOWNSHIP

TOWNSHIP

SECTION RANGE

ELEVATION:

712FT

DRILL DEPTH:

460FT

49N 4W

UTM X

UTMY

DEPTH TO BED:

20FT

100

643,650.79

4,321,946.38

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

REMARKS:

REMARKS:

LOG ID: 002941

WELL TYPE

Private Well

DRILL DATE:

1934/08/00

TOWNSHIP

SECTION RANGE

OLD WELL DEEPENED 380-435'

ELEVATION:

779FT

DRILL DEPTH:

435FT

49N 4W 19

10

UTM X 638,663.67

UTM Y 4,317,702.24

DEPTH TO BED:

380FT

180

ZONE 15

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID:

WELL TYPE Private Well

007492

1941/00/00

TOWNSHIP

49N

SECTION RANGE 4W

ELEVATION:

785FT

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

295FT 65FT 20

UTM X UTM Y

639.695.68 4,317,702.25

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

REMARKS: RR 1, MONTGOMERY CITY

S.W.L. (AFTER CASING): 160

2/27/2007

3,772



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 021872

DRILL DEPTH:

LOG ID:

001796

WELL TYPE Private Well

DRILL DATE:

425FT

DEPTH TO BED: 80FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

WELL TYPE Private Well

DRILL DATE: 1912/00/00

DRILL DEPTH: 1,500FT

DEPTH TO BED: 106FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 015245

WELL TYPE Private Well

DRILL DATE: 1956/05/00

DRILL DEPTH: 520FT

DEPTH TO BED: 275FT

S.W.L. (BEFORE CASING):

160

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Community Public Well 021900

1963/08/01 **DRILL DATE:**

DRILL DEPTH: 550FT

DEPTH TO BED: 100FT

S.W.L. (BEFORE CASING): 120 FT

FΤ S.W.L. (AFTER CASING): 220

REMARKS:

TOWNSHIP RANGE SECTION 49N

4W 21

ELEVATION:

776FT

UTM X 640,925.70

UTMY 4,318,128.27

ZONE 15

HWY F @ BELLFLOWER **REMARKS**:

TOWNSHIP SECTION RANGE

49N 4W

22

ELEVATION:

759FT

UTM X UTMY 643,351.73

4,318,766.30

ZONE 15

REMARKS:

REMARKS:

FT

TOWNSHIP 49N

TOWNSHIP

49N

RANGE SECTION 4W

RANGE

4W

22

ELEVATION:

ELEVATION:

UTM X

642,551.72

768FT

765FT

UTM Y

4,318,766.29

UTM X UTM Y

642,563.72 4,318,627.29 ZONE 15

ZONE 15

1 BLK E OF P.O. IN BELLFLOWER; "CAPPED - NOT IN USE"

SECTION

22



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 015905

WELL TYPE Private Well

1957/01/00 DRILL DATE:

TOWNSHIP 49N

RANGE SECTION **ELEVATION:**

765FT

DRILL DEPTH:

DEPTH TO BED:

480FT 95FT 4W 28

UTM X

641,524.69

UTMY 4,317,130.26

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

170

LOG ID: 019447

WELL TYPE Private Well

DRILL DATE:

TOWNSHIP 49N

RANGE

SECTION ELEVATION: 832FT

DRILL DEPTH:

500FT

5W

UTM X

UTMY

DEPTH TO BED:

140FT

628,548.57

4,316,363.16

ZONE 15

S.W.L. (BEFORE CASING):

N EDGE OF MONTGOMERY CITY REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 021921

WELL TYPE

Community Public Well

DRILL DATE:

1963/05/00

TOWNSHIP

RANGE

SECTION

30

ELEVATION:

835FT

DRILL DEPTH:

1,150FT

49N

5W

31

UTM Y

100FT

UTM X 628,915.56

4,315,800.16

DEPTH TO BED:

S.W.L. (BEFORE CASING):

54

FT

REMARKS:

S.W.L. (AFTER CASING):

FT

ZONE 15

245

LOG ID:

WELL TYPE

003938

Community Public Well

DRILL DATE:

1936/08/00

TOWNSHIP 49N

RANGE 5W

SECTION

ELEVATION:

UTM X

834FT

DRILL DEPTH:

DEPTH TO BED:

1,075FT 95FT 32

UTM Y

629.664.56 4,315,711.16

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

"TOWN LOT"



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 005381

WELL TYPE

Industrial High Capacity Well

DRILL DATE:

1938/12/00

TOWNSHIP 49N

RANGE SECTION 32

ELEVATION:

816FT

DRILL DEPTH:

443FT

5W

UTM X

UTMY 4,315,087.16

DEPTH TO BED:

90FT

629,464.55

ZONE 15

S.W.L. (BEFORE CASING):

FT

MONTGOMERY CITY, 1000' S OF CITY WELL **REMARKS:**

S.W.L. (AFTER CASING):

40

LOG ID: 028232

WELL TYPE

Community Public Well

DRILL DATE:

1979/01/00

TOWNSHIP

RANGE SECTION **ELEVATION:**

825FT

DRILL DEPTH:

1,175FT

49N 5W

UTM X

UTMY

DEPTH TO BED:

85FT

32

629,451.56

4,315,557.16

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

NO SAMPLES LOGGED - TOPS ONLY

S.W.L. (AFTER CASING):

LOG ID: 018799

WELL TYPE

Private Well

DRILL DATE:

1959/05/00

TOWNSHIP

RANGE 5W

SECTION

ELEVATION:

775FT

DRILL DEPTH:

290FT

49N

4

UTM X

UTM Y

DEPTH TO BED:

80FT

631,955.71 4,323,004.30

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

190

FT

FT

REMARKS: 2 MI W OF BUELL

LOG ID:

WELL TYPE Private Well

023656

1965/06/00

TOWNSHIP

RANGE

5W

SECTION

ELEVATION:

760FT

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

345FT

130FT

49N

UTM X

631.755.72

UTM Y 4,323,904.32

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

80

REMARKS: 5 MI SE OF WELLSVILLE



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 007493

WELL TYPE Private Well

1941/00/00 DRILL DATE:

TOWNSHIP RANGE 50N 3W

SECTION

ELEVATION:

680FT

DRILL DEPTH:

185FT 10FT 30

UTM X

UTMY 4,326,944.53

648,115.93 ZONE 15

DEPTH TO BED: S.W.L. (BEFORE CASING):

FT **REMARKS:**

S.W.L. (AFTER CASING):

130

LOG ID: 014632

WELL TYPE Private Well

DRILL DATE:

1955/12/17

TOWNSHIP

SECTION RANGE

ELEVATION:

708FT

DRILL DEPTH:

200FT

50N

3W 30

UTM X

UTMY 4,326,374.51

DEPTH TO BED:

15FT

647,692.91

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: YIELD - 17 GPM @ 160'

S.W.L. (AFTER CASING):

120

LOG ID: 017000

WELL TYPE Private Well

DRILL DATE:

1957/11/00

TOWNSHIP

SECTION RANGE

ELEVATION:

650,030.91

627FT

DRILL DEPTH:

150FT

50N 3W 32

UTM X

ZONE 15

DEPTH TO BED:

35FT

UTM Y 4,324,982.50

REMARKS: 12 MI NE OF BELLFLOWER

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID:

WELL TYPE

027306

Private Well

DRILL DATE:

1969/09/12

TOWNSHIP

RANGE

SECTION 6

ELEVATION:

718FT

DRILL DEPTH:

565FT

50N

3W

DEPTH TO BED:

105FT

UTM X 647.727.03

ZONE 15

UTM Y 4,332,913.67

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

NEAR NEW FLORENCE



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 003881

DRILL DEPTH:

WELL TYPE Private Well

1936/08/00 DRILL DATE:

165FT

DEPTH TO BED: 50FT

TOWNSHIP RANGE SECTION 50N

4W 11 **ELEVATION:**

711FT

UTM X 644,183.98

UTMY 4,331,848.61

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:**

60

S.W.L. (AFTER CASING):

LOG ID: 006655

WELL TYPE Oil Well

DRILL DATE:

DEPTH TO BED:

1940/06/03

TOWNSHIP

RANGE

SECTION

ELEVATION:

ZONE 15

734FT

DRILL DEPTH: 435FT

50N 4W 12

UTM X 646,420.00

UTMY 4,331,510.62

60FT

REMARKS: #1 JIM MUDD - DRY & ABANDONED

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID: 002934

WELL TYPE Private Well

DRILL DATE:

1934/08/00

TOWNSHIP

RANGE

SECTION

ELEVATION:

736FT

DRILL DEPTH:

170FT

50N

4W 20

> UTM X 639,627.85

UTMY

DEPTH TO BED:

145FT

4,327,214.46

REMARKS:

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Private Well 003995

DRILL DATE:

1936/10/00

TOWNSHIP

50N

RANGE

SECTION

ELEVATION:

737FT

DRILL DEPTH:

DEPTH TO BED:

520FT 70FT

4W 28

UTM X

UTM Y

641,286.86

4,327,001.47

ZONE 15

S.W.L. (BEFORE CASING):

YIELD - 0.5 GPM @ 140' **REMARKS**:

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 021920

WELL TYPE Private Well

DRILL DATE: 1963/10/23

50N

RANGE SECTION 4W 33

ELEVATION:

722FT

DRILL DEPTH:

DEPTH TO BED:

485FT 45FT

<u>UTM X</u>

<u>UTM Y</u> 4,325,358.43

640,884.83

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: @ MIDDLETOWN

TOWNSHIP

S.W.L. (AFTER CASING):

LOG ID: 023714

WELL TYPE

Community Public Well

DRILL DATE:

1965/00/00

TOWNSHIP

RANGE SECTION

1

17

ELEVATION:

720FT

DRILL DEPTH:

620FT

50N 5W

UTM X

<u>UTM Y</u> 4,332,528.56

DEPTH TO BED:

225FT

637,455.93

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING): 70 FT

FT

165

REMARKS: LONG 12

LONG 1 X 1.25 MI SECTION; POOR LOG

LOG ID: 006409

WELL TYPE

Private Well

DRILL DATE:

1940/07/16

TOWNSHIP R

RANGE SECTION

ELEVATION:

796FT

DRILL DEPTH:

530FT

50N 5W

UTM X

<u>UTM Y</u>

DEPTH TO BED:

160FT

190

630,863.81 4,329,490.43

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS: DYKMAN, HALF WAY BETW. MIDDLETOWN & WELLSVILLE ON N

SD OF RD

LOG ID:

WELL TYPE

004385

Private Well

DRILL DATE:

1937/08/10

TOWNSHIP F

RANGE SECTION

ELEVATION:

715FT

DRILL DEPTH:

155FT

50N

5W 3

UTM X

UTM Y

DEPTH TO BED:

60FT

633,270.89

89 4,332,376.52 ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING): 16



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 005859

WELL TYPE Private Well

1939/12/07 DRILL DATE:

TOWNSHIP 50N

RANGE SECTION **ELEVATION:**

760FT

DRILL DEPTH:

540FT

5W 34

UTM X

UTMY

DEPTH TO BED:

145FT

633,575.75

4,324,629.35

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: @ MONTGOMERY CITY

S.W.L. (AFTER CASING):

156

LOG ID: 028139

WELL TYPE Private Well

DRILL DATE:

TOWNSHIP 50N

SECTION RANGE

ELEVATION:

785FT

DRILL DEPTH:

1,350FT

6W 2

UTM X

UTM Y

DEPTH TO BED:

213

FT

625,270.84 4,332,504.47 ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: NO SAMPLES LOGGED

S.W.L. (AFTER CASING):

LOG ID: 000483

WELL TYPE

Industrial High Capacity Well

DRILL DATE:

TOWNSHIP

RANGE

SECTION

ELEVATION:

808FT

DRILL DEPTH:

857FT

50N 6W 27

UTM X

UTM Y

DEPTH TO BED:

70FT

624,028.73

4,326,882.34

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: N EDGE OF WELLSVILLE - PLUGGED SOON AFTER DRILLING

S.W.L. (AFTER CASING):

MONTGOMERY

3,779 2/27/2007